





Balasinkam, Sash, M, 11/02/1979

Church Avenue PC Clinic
2412 CHURCH AVE , BROOKLYN, NY 11226-4005
855-681-8700

646-600-2418

Accession Id: 1005871703

Order Date: 05/03/2017

Procedure: 05/03/2017 11:27:00

Requesting Physician: Maggio, Johanna

Ordering Physician: Maggio, Johanna

XR Chest 2 Views Pa and Lateral

REPORT

Exam:

See Below For Report

Lenox Hill Radiology
KEW GARDENS
80-02 - Kew Garden Rd
Suite L1
Kew Gardens, NY 11415
(718) 544-5151
EXAM: X-RAY CHEST PA AND LATERAL
HISTORY: Positive PPD
TECHNIQUE: PA and lateral chest radiographs are provided for review.
COMPARISON: None
FINDINGS:
There is no evidence of pneumonia, pulmonary edema, pleural effusion, or pneumothorax.
The heart and mediastinal contours are within normal limits.
No osseous destructive lesions identified within the thorax. There is no fracture or dislocation.
IMPRESSION: Normal chest x-ray exam.
DICTATED BY: Michael Winn MD
ELECTRONICALLY SIGNED ON: 05/03/2017 16:44:11

Balasinkam, Sash , M, 11/02/1979

Accession ID: 1005871703

Balasinkam, Sash, M, 11/02/1979

Inwood PC Mobile Unit
1543 Inwood Ave , Bronx, NY 104522001
855-681-8700

646-600-2418

FINAL RESULT

Accession ID: 04565647940

Lab Ref ID: 1818716

Order Date: 02/14/2017

Received: 02/17/2017 08:35:05

Coll. Date: 02/14/2017 00:00:00

Report: 02/17/2017 08:23:00

Requesting Physician: Maggio, Johanna

Ordering Physician: MAGGIO, J

QuantiFERON TB Gold (In Tube)

NAME	VALUE	REFERENCE RANGE
F QuantiFERON Incubation	Comment	
- Incubated, specimen forwarded to LabCorp, Raritan, NJ for completion of the assay.		
F QuantiFERON TB Gold	Positive A	Negative
- Note: LabCorp considers any TB antigen minus Nil value between 0.35 and 2.0 to be low positive result.		
- The CDC has stated the following "In healthy persons who have a low likelihood both of M tuberculosis infection and of progression to active tuberculosis if infected, a single positive Interferon gamma release assay (IGRA) or tuberculin skin test (TST) result should not be taken as reliable evidence of M tuberculosis infection. Because of the low probability of infection, a false-positive is more likely. In such situations the likelihood of M tuberculosis infection and of disease progression should be reassessed, and the initial test results should be confirmed (on a new specimen). Repeat testing with either the initial test or a different test, may be considered on a case-by-case basis. For such persons, an alternative is to assume, without additional testing, that the initial result is a false positive." (MMWR, 2010;59(RR-05) p12).		
F QuantiFERON Criteria	Comment	
- To be considered positive a specimen should have a TB Ag minus Nil value greater than or equal to 0.35 IU/mL and in addition the TB Ag minus Nil value must be greater than or equal to 25% of the Nil value. There may be insufficient information in these values to		

Balasinkam, Sash, M, 11/02/1979

Accession ID: 04565647940

NAME	VALUE	REFERENCE RANGE
- differentiate between some negative and some indeterminate test		
- values.		
F QuantiFERON TB Ag Value	1.13	(IU/mL)
F QuantiFERON Nil Value	0.04	(IU/mL)
F QuantiFERON Mitogen Value	>10.00	(IU/mL)
F QFT TB Ag minus Nil Value	1.09	(IU/mL)
F Interpretation:	Comment	
- The QuantiFERON TB Gold (in Tube) assay is intended for use as an aid		
- in the diagnosis of TB infection. Negative results suggest that there		
- is no TB infection. In patients with high suspicion of exposure, a		
- negative test should be repeated. A positive test indicates infection		
- with Mycobacterium tuberculosis. Among individuals without		
- tuberculosis infection, a positive test may be due to exposure to		
- M. kansasii, M. szulgai or M. marinum. On the Internet, go to		
- cdc.gov/tb for further details.		

PERFORMING LAB: LabCorp Raritan, 69 First Avenue, Raritan, NJ 088691800, Phone - 8006315250, Director - MDReyes

Balasinkam, Sash, M, 11/02/1979

Accession ID: 04565647940